## WEEKLY SUM ARY REPORT OF COM UPICABLE DISEASES IN JAPA. WEEK ENDING 23 FEBRUARY 1946

(C) Current cases, plus delived reports.

(T) Total cases for year to date.

PREFFICEURE	. DISET	HPRIA	DYSEL	TERY	EPID:		FAR(		SCARLI FVE		SMAL	L=011.	· TYPE	O-I-O	EPID	
	(c)	(T)	(c)	(1)	(c)	(T)	(0)	(T)	(C)	(I)	· (c)	(1)	(C)	(T)	(0)	(T)
HOMMAIDO	101	674	-	19	5	. 23	34	96	9	7171	79	419	38	228	47	326
O ORI	17	199	3	10	- 6	10	. 1	11	-	3	5	5	29	216	20	151
ELAMI	11	137	4	8	-	2	-	9	-	-	2	. 2	9	91	1	. 1
IYAGI	25	191	_	3	1	7	2	21	-	1	. 2	. 6	17	87 111		7/1
ATITA	32	218	1	13		2	-	3	-	2	-	1	11		5	
AMAGATA	31	194	_	2	1	8	2	15	-7	1	1	5	22	85	10	146
FURUSEIVA	52	5/18	2	13	1	Δ. V:	1	16	3	10	5	10	15	157	-	5
IBARANI	11	101		4	1	4	2	5		-	1	2	14	226	-	-
TOCALIGI	11	206	- 0	11		2	1	27	7	5		7	14	198	-	1
. GUAL A	16	63	2	4	-	5	7	10	1	7	)		17	97	1	+
SAITA A	38	204		1 4			2	7	7	7	7	30	18	126		
C. IBA	21 66	170	1	26	7	5	7	56	6	1111	54	-116	111	303	23	54
TOKYO	30	281	1	7	1	6	1	14	1	7	7	25	20	177	1	1
MAMAGAWA TIGATA	31	377	1	8	1	1	1	19		1	. 7	7	11	123	-	1
TOYA: A	5	114		_	_		1	5	_	2	3	37	12	77		also .
ISRIKAWA	22	252	1	2	_			3	1	2	0	13	1	27	1	1
FUKUI	18	91		3	_	1	_	í	_	_	5	33	- 4	63		
ANA ASEI	9	40	1	2	14	7	_	-	_		3	5	4	55		-
A GA NO	15	151	_	5		2	2	22		7	10	20	17	121	-	1
GITU	24	105	-	3	_	1	5	8	-	2	25	. 76	46	278	2	3
SAIZUOMA	45	318	5	14	_	71	8	36	1	6	2	29.	17	181	-	4
AICmI	49	550	ī	9	-	-	2	29	-	10	170	666	13	212	126	5171
HIT	43	348	-	6	-	2	5	22	-	3	45	91	19	195	2	5
SLIGA	18	308	-	1	-	24	-	1	-	1	27	70	2	16	-	
MYOTO	40	329	5	12	3	7	7	20	Žį	14	40	135	46	219	55	40
OSAFA .	47	312	ŢŤ	21	2	7	6	13	2	11	169	601	91	323	618	1168

(OVER)

PREFECTURE		THERIA		NTERY -	Erio		PAI		SCARI		SPAL	L-O"	TY	EOID		OTELC LUS
	(C)	(T)	(0)	( [ )	(0)	(1)	(C)	(T)	(0)	(I)	(C)	(T)	(c)	(I)	(0)	(1)
HYOGO MARA LAMAYAMA TOTTORI SELMANT OKAYAMA RIROSELMA WA AGUCHI TOKUSELMA KAGAWA TELIME KOCHI FUMUOKA SAGA WAGASAKI MUMANOTO OLTA LIVAZAKI KOGOSELMA	66 18 36 13 26 13 32 47 17 32 44 41 16 27 14 22 12	423 110 165 160 184 258 391 473 171 249 248 359 173 70 227 93 144	5 - 1 - 2 - 5 - 2 - 4 - 2 - 1 - 1 - 1	11 -1 -7 -3 -2 -5 -5 -5 -6 -5 -6 -5 -6 -5 -6 -5 -6 -5 -6 -6 -6 -6 -6 -6 -6 -6 -6 -6 -6 -6 -6	3 	7 - 2 - 2 5 - 1 2 - 13 7 10 - 4 4 8	6. — — — — — — — — — — — — — — — — — — —	39 12 7 12 - 25 4 1 3 15 7 10 8 2 2 4 5	1 - - 2 - 1 - NR	9121 412 - 5244 - 3	144 23 19 - 4 17 24 35 12 7 8 8 9 9 9 11 9 4 7	1192 79 103 3 42 66 109 39 20 42 28 64 67 14 175 23 18 8 27	7776739976959m45-722	467 107 £1 32 42 137 175 37 78 47 62 79 124 36 12 26 20	64 1 - - 1 - - - - - - - - - -	124 4
TOTALS	1317	11,396	53	350	39	196	113	637	35	222	1019	4535		5613	951	2308
RATE*	95.0	9	3.83		2.82		8.16		2.53		75-5		52.6		68.6	
*Rate /100.000	/ annum f	or curvent	week.													

\*Rate /100,000/ annum for current week.

Onolera and Plague: No cases rejorted.

Prepared by: Public Health & Welfare Section, GEQ, SCAP, (from Ja anese scurces)

## SUMMARY REPORT OF COMMUNICABLE DISEASES IN JAPAN

FOUR WEEK PERIOD ENDI @ 23 FEBRUAR 1946

Page I (C) Cases (R) Hate /100,000/ Annum

Market and the second state an					TPIT	DEMIC	PAR	Δ-	I SCAF	RI.ET	F				1 - 1-	TRIC	
FREFROTURE	DIP	THURIA	DYSE	TERY		GITIS.	TYPE		FEV		SMAI	LLPOT	TYP	HOID		EUS	
	(0)	(R)	(0)	(R)	(C)	(R)	(0)	(2)	(c)	(R)	(C-)	(E)	(C)	(=)	(0)	(R)	
HOKMAIDO	342	126.54	5	1.85	14	5.18	60	22.20	30	11.10	301	111.37	123	45.51	210	77.70	
Adrori	93	111.60	5	6.0	9	10.3	6	9.6		-	5	6.0	103	123.0	127	152.4	
INATT	60	63.0	5	5-3	1	1.76	3	3.18		-	2	2.13	50	53.0	1	1.06	
IVACI	90	80.1	1	.89.	1	3-56	9	8.01	1	.89	5	4.45	-50	44.5	2	1.78	
ATITA	92	98.67	- 6	6.4h	1	1.07	1	1.07	-		-	-	15	19.31	44	47.19	
TAI AGATA	99	97.02	-	-	5	4.9	9	7.82	1	.98	5	14.0	15	ld.1	72	70.55	
FUMUSHIMA	148	98.42	ε	5-32	3	.0	13-	8.65	6	3.99	9	5.99	79	52.54	2	1.33	
IBARA"I	47	31.37	-	-	4	2.67	1	2.67	-	-	2	1.34	52	34.71	-	-	
TOCHIGI	95	79.0	5	4.2	20	- 1.68	11	9.24	1	. 84	1	.84	100	£)1.0	-		
GOTA	33	27.72	3	2.52	1	. 64	3	2.52	4	3.36	7	5.88	105	136.0	4	3.36	
SA ITALA	113	71.76	1	.64	1	.64	7	4.45	-	-	3	1.91	44	27.94	-	-	and the second
Ch1B4	101	60.60	-	-	5	3.3	14	- 2.64	Ţi.	2.04	30	19.8	71	46.00	_		and the same of th
TOTALO	256	95.30	12	4.47	12	4.47	35	13.04	28	10.43	109	٥٥.60	140	55.50	.54	19.37	distance of the distance of
FA AG4 A	137	95.56	3	2.09	3	2.09	7	4.86	4	2.79	20	13.95	8.5	.1.38	p	.70	
MIIGATA	146	79.57	3	1.64	2	1.09	11	6.0	1	•55	7	3.82	55	29.98			
			1		1000				1		1		1				-

Page II Br IDELIC rARA-SCARLET EPIDEN IC PREFECTURE DIPHTHERIA DYSENTERY PE I GITIS TYPHOID FEVER STALLOT TIPROID TYP-US (0) (R) (0) 1(() (H) (R) (C) (P) (R) (C) (R) (C) (0) TOYA A 70.5 5.45 52 11 34.06 1.36 44 59.95 -1.4.59 IS.IKA A 126 2.93 4.4 -93 19.05 14.05 10 1.47 FUKUI 89.63 2 3.59 1.79 57.36 38 68.12 4.65 3.1 YA A ASHI 10.85 7.75 24 37.2 77 47.16 4 2.45 JACA. 2 1.23 17 10.41 3.06 20 12.25 74 45.33 .61 71.82 . 6 5.13 1.71 70 64.98 . 60 0 150 133.38 6.84 BEIZUOTA 103 95.36 5 2.93 .59 10.53 2.93 21 12.29 46.22 79 .59 AICHI 271 123.31 1 1.82 10.92 5 2.28 609 277.1 157 71.44 214 97.37 142.67 1 .93 MIE 153 .93 19 17.72 1.07 83.93 110 102.58 5 4.00 SHIGA 127 191.77 3 4.53 2 3.08 1.51 54 81.54 11 16.61 CTOTO 169 130.89 10 2.1 5.24 12.15 8.1 15 10 110 89.1 147 119.07 40 32.4 174 80.91 12 5.58 4 10 4.65 3.72 1.00 255.75 120.44 1124 522.66 101.2 3.22 2.76 1.84 21 9.66 300 6 335.34 138.0 55.2 150 AAA 100.05 3-34 2 1.07 123.4 44 73-37 6.67 AKAYA A 117 162.63 11.12 2.78 134.63 22 30.58 50 115.38 0.92 4.62 2 4.62 6.92 36.92 SHI ANE 133 200.83 3 4.53 10 15.1 31.71 45.3

PREFECTURE	DIPA	ELTRIA	DYST	VIERY	1	GIEIS	P°R TYPE		SCAR		SLAI	LEOT	TYPE	CICE		ENIO AUS
	(0)	(王)	(0)	(R)	(0)	(E)	(C)	(R)	(C)	(=)	(C)	(R)	(c)	(R)	(c)	(=)
OKAYA A	117	97.11	-	-	-	-	_	-	2	1.66	51	42.33	60	49.8	-	_
HIROSHIMA	196	135.24	5	3.45	1	.09	14	9.66	1	.69	93	64.17	87	60.03	-	-
YA: AGUCHI	261	249.91	2	1.92	1	.96	2	1.92	2	1.92	27	25.85	21	20.11	5	1.92
TOKUSEIMA	76	118.56	9	14.04	_	-	-	-		-	14	21.84	29	45.24	-	_
KAGAWA	121	182.11	1	1.51	1	1.51	1	1.51	5	7-55	32	48.16	22	33.11	-	-
HIÆ	147	140-59	4	5.82	2	1.01	1	-96	2	1.91	28	26.74	36	34.30	_	-
KOCHI	155	259.63	1	1.08	-	-	3	5.03	3	5.03	61	102.18	24	40.2	-	-
FLKUOKA	425	200.61	14	6.62	13	0.14	60	3.78	1	1.69	67	31.66	91	42.5	1	.47
SAGA	97	151.61	1	1.57	7	10.96	1	1.57	The second secon	-	14	21.91	19	29.74	-	-
AAGASAYI	91	89.64	5	4.95	7	6.9	1	.99	3	2.96	143	140.86	14	13.79	-	-
KULA1.050	33	27.50	-	-	-	-	-		-	-	23	19-21	-	-	-	-
OITA	115	132.83	_	-	4	4.62	2	2.31	-	-	15	17-33	18	20.79	_	-
IXAZAXI	39	55.28	4	5.07	2	2.4	4	5.67		-	6	8.51	10	14.18	-	-
KOGOSEINA	75	63.38	1	.85	S	6.76	1	.85	_	_	21	17.75	5	4.23	-	-
TOTALS	5856	105.70	103	2.94	143	2.58	383	6.91	150	2.71	3630	65.52	3149	56.34	2036	36.75

We cases of Cholera or lague reported.

## VE BREAL DISEASES IN JAPAN VENET MIDING 28 FEBRUARY 1946

	VE ERE	DIG	OF DISEASES IN G. 23 FEBRUE	JAPAN ET 1946	3(5)	Current Week. Delayed Reports. Total for year to date.
PRESCOURE	CHANGROID (2)	(3)	;0. OR	ORRHEA (2) (3)	STP. (1)	PEILIS (3)
EOTTAIDO	22	72			26	
AOMOFI	0	75	27	282	0	80 6
MYAZI	1 4	00 0	ט ר	900	I "	78
ACITA	· ~	12	30	200	0	127
YAMACATA	7	4	12	75	2	75
FU TUST IMA	7 "	25	10° E	436	0.00	337
TOCTIGI	TH.	10	To E	929	3 8	130
CUMMA	0	41	26	280	1	48
SAITEMA		900	62	492	62	270
TOTAL A.	57 a	2000	10	2000	U 20	42 C
"ALLOA"A	7.1	383	160	759	72	451
ATTOMETE.	0	31	36	321	14	199
TOYALA	N 10	0 0	37	221	- 1	26
Inn.	c k	1 0	い。	07.5	- E	4, 00
YAMA: ASHI	N	33	30	172	9	52
PACATO	4 (	26	22	154	30	156
GIRU SUTTOUR	N p	44	13	129	v p	00 W
AIGH	r' pi	189	ជ ជ	867	5 P.	143
FIM	23	83	28	246	4	100
SEIGE	C !	37	19	102	.0 (	35
OSATA	F 6	65 -	α	5220	٢ (c	76
0.01	1 00	93	23 0	357	38 6	256
PARA	1	00	N	16	4	65
WAZAYAMA	49	93	57	182	16	100
TOTTORI SET AND	対に	Ti O	M S	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	400	77 Y
OTAYAMA	ء تر	0 %	2 65	060	22 00	2000
HIROGHIMA	00	333	28	96	7	000
YAMAGUCHI	7	53	17	153	10	123
TO TUSHIM.	N	4	9	38	23	69
AGANA	00	41 C	2 2	בי בי בי כי כי	1100	94
THOOL	30	200	2	000	200	3.4
PUTUOTA.	62	396	182	1057	93	833
SAGA	21	47	90	506	76	183
FIACASITI	19	127	105	764	7	433
UNITEDIO	NE	7.0	0 00 7 H	000	15	106
M 1 1 2 2 1 1 1 2 1 1 2 1 1 2 1 2 1 2 1		14	ę n	166	1, t	150
TOGOSHIMA	p:	r et	1 F)	1 F	i pi	S PS
TOTALS	245	1691	1,521	11,608	935	7,333
*RATE	32,13		109,82		67.	51
*Rate /100,000/ snnun	n for current	t week				

Prepared by: Public realth? Telfere Section, Trom Japanese sources)